

(2) 主要死因別死亡数・率 (T2-8)

<総数>

(平成23年)

	総数			悪性新生物			脳血管疾患									心疾患(高血圧症を除く)											
	実数	率*1	死因割合*2	実数	率*1	死因割合*2	<も膜下出血(再掲)>			脳内出血(再掲)			脳梗塞(再掲)			急性心筋梗塞(再掲)			その他の虚血性心疾患(再掲)								
							実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2
全国	1,253,068	993.1	100.0	357,305	283.2	28.5	123,867	98.2	9.9	13,460	10.7	1.1	34,062	27.0	2.7	73,273	58.1	5.8	194,926	154.5	15.6	43,265	34.3	3.5	34,576	27.4	2.8
岐阜県	21,053	1,033.5	100.0	5,787	284.1	27.5	2,037	100.0	9.7	211	10.4	1.0	603	29.6	2.9	1,187	58.3	5.6	3,619	177.7	17.2	840	41.2	4.0	381	18.7	1.8
管内総数	2,082	931.4	100.0	573	256.3	27.5	188	84.1	9.0	18	8.1	0.9	48	21.5	2.3	122	54.6	5.9	350	156.6	16.8	115	51.4	5.5	24	10.7	1.2
美濃加茂市	459	835.2	100.0	128	232.9	27.9	40	72.8	8.7	2	3.6	0.4	13	23.7	2.8	25	45.5	5.4	71	129.2	15.5	21	38.2	4.6	6	10.9	1.3
可児市	756	775.9	100.0	219	224.8	29.0	59	60.6	7.8	5	5.1	0.7	14	14.4	1.9	40	41.1	5.3	125	128.3	16.5	38	39.0	5.0	12	12.3	1.6
坂祝町	67	795.3	100.0	20	237.4	29.9	6	71.2	9.0	1	11.9	1.5	1	11.9	1.5	4	47.5	6.0	8	95.0	11.9	3	35.6	4.5	-	-	-
富加町	48	873.7	100.0	13	236.6	27.1	5	91.0	10.4	1	18.2	2.1	1	18.2	2.1	3	54.6	6.3	3	54.6	6.3	2	36.4	4.2	-	-	-
川辺町	116	1,105.3	100.0	25	238.2	21.6	10	95.3	8.6	1	9.5	0.9	3	28.6	2.6	6	57.2	5.2	18	171.5	15.5	6	57.2	5.2	2	19.1	1.7
七宗町	78	1,793.1	100.0	17	390.8	21.8	9	206.9	11.5	-	-	-	4	92.0	5.1	5	114.9	6.4	16	367.8	20.5	3	69.0	3.8	1	23.0	1.3
八百津町	170	1,437.3	100.0	50	422.7	29.4	14	118.4	8.2	3	25.4	1.8	-	-	-	11	93.0	6.5	31	262.1	18.2	22	186.0	12.9	-	-	-
白川町	160	1,717.7	100.0	36	386.5	22.5	26	279.1	16.3	3	32.2	1.9	6	64.4	3.8	17	182.5	10.6	23	246.9	14.4	6	64.4	3.8	-	-	-
東白川村	38	1,538.5	100.0	15	607.3	39.5	2	81.0	5.3	1	40.5	2.6	-	-	-	1	40.5	2.6	3	121.5	7.9	2	81.0	5.3	1	40.5	2.6
御嵩町	190	1,012.4	100.0	50	266.4	26.3	17	90.6	8.9	1	5.3	0.5	6	32.0	3.2	10	53.3	5.3	52	277.1	27.4	12	63.9	6.3	2	10.7	1.1

	肺炎			不慮の事故			老衰			自殺			肝疾患			腎不全			糖尿病			結核		
	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2
全国	124,749	98.9	10.0	59,416	47.1	4.7	52,242	41.4	4.2	28,896	22.9	2.3	16,390	13.0	1.3	24,526	19.4	2.0	14,664	11.6	1.2	2,166	1.7	0.2
岐阜県	2,014	98.9	9.6	824	40.5	3.9	1,187	58.3	5.6	460	22.6	2.2	229	11.2	1.1	415	20.4	2.0	201	9.9	1.0	29	1.4	0.1
管内総数	223	99.8	10.7	80	35.8	3.8	122	54.6	5.9	54	24.2	2.6	17	7.6	0.8	47	21.0	2.3	24	10.7	1.2	4	1.8	0.2
美濃加茂市	53	96.4	11.5	21	38.2	4.6	24	43.7	5.2	13	23.7	2.8	2	3.6	0.4	8	14.6	1.7	4	7.3	0.9	1	1.8	0.2
可児市	77	79.0	10.2	19	19.5	2.5	49	50.3	6.5	21	21.6	2.8	6	6.2	0.8	14	14.4	1.9	11	11.3	1.5	2	2.1	0.3
坂祝町	6	71.2	9.0	4	47.5	6.0	2	23.7	3.0	4	47.5	6.0	1	11.9	1.5	7	83.1	10.4	1	11.9	1.5	-	-	-
富加町	7	127.4	14.6	4	72.8	8.3	2	36.4	4.2	2	36.4	4.2	-	-	-	1	18.2	2.1	-	-	-	-	-	-
川辺町	22	209.6	19.0	6	57.2	5.2	8	76.2	6.9	-	-	0.0	1	9.5	0.9	2	19.1	1.7	-	-	-	-	-	-
七宗町	7	160.9	9.0	2	46.0	2.6	2	46.0	2.6	-	-	0.0	-	-	-	6	137.9	7.7	1	23.0	1.3	-	-	-
八百津町	12	101.5	7.1	6	50.7	3.5	19	160.6	11.2	6	50.7	3.5	2	16.9	1.2	3	25.4	1.8	3	25.4	1.8	-	-	-
白川町	19	204.0	11.9	7	75.1	4.4	11	118.1	6.9	3	32.2	1.9	1	10.7	0.6	2	21.5	1.3	2	21.5	1.3	1	10.7	0.6
東白川村	5	202.4	13.2	2	81.0	5.3	1	40.5	2.6	2	81.0	5.3	1	40.5	2.6	-	-	-	1	40.5	2.6	-	-	-
御嵩町	15	79.9	7.9	9	48.0	4.7	4	21.3	2.1	3	16.0	1.6	3	16.0	1.6	4	21.3	2.1	1	5.3	0.5	-	-	-

*1 率は人口10万対(全国及び県の率は厚生労働省公表値)

*2 死因割合:総数に対する死因別の割合(単位:%)

<男> (平成23年)

	総数			悪性新生物			脳血管疾患												心疾患(高血圧症を除く)								
	実数	率*1	死因割合*2	実数	率*1	死因割合*2	<も膜下出血(再掲)>			脳内出血(再掲)			脳梗塞(再掲)			急性心筋梗塞(再掲)			その他の虚血性心疾患(再掲)								
							実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2			
全国	656,540	1,068.4	100.0	213,190	346.9	32.5	59,616	97.0	9.1	4,980	8.1	0.8	18,656	30.4	2.8	34,521	56.2	5.3	91,298	148.6	13.9	23,966	39.0	3.7	19,646	32.0	3.0
岐阜県	10,999	1,113.3	100.0	3,455	349.7	31.4	967	97.9	8.8	68	6.9	0.6	310	31.4	2.8	571	57.8	5.2	1,663	168.3	15.1	460	46.6	4.2	206	20.9	1.9
管内総数	1,113	1,014.3	100.0	332	302.6	29.8	90	82.0	8.1	5	4.6	0.4	26	23.7	2.3	59	53.8	5.3	173	157.7	15.5	70	63.8	6.3	12	10.9	1.1
美濃加茂市	243	894.8	100.0	72	265.1	29.6	19	70.0	7.8	1	3.7	0.4	9	33.1	3.7	9	33.1	3.7	38	139.9	15.6	14	51.6	5.8	5	18.4	2.1
可児市	422	881.9	100.0	137	286.3	32.5	30	62.7	7.1	1	2.1	0.2	6	12.5	1.4	23	48.1	5.5	72	150.5	17.1	25	52.2	5.9	7	14.6	1.7
坂祝町	35	787.0	100.0	9	202.4	25.7	4	89.9	11.4	-	-	0.0	1	22.5	2.9	3	67.5	8.6	3	67.5	8.6	2	45.0	5.7	-	-	-
富加町	25	948.4	100.0	4	151.7	16.0	2	75.9	8.0	1	37.9	4.0	-	-	0.0	1	37.9	4.0	2	75.9	8.0	1	37.9	4.0	-	-	-
川辺町	55	1,075.7	100.0	12	234.7	21.8	3	58.7	5.5	-	-	0.0	-	-	0.0	3	58.7	5.5	9	176.0	16.4	6	117.3	10.9	-	-	-
七宗町	41	1,990.3	100.0	11	534.0	26.8	6	291.3	14.6	-	-	0.0	4	194.2	9.8	2	97.1	4.9	3	145.6	7.3	1	48.5	2.4	-	-	-
八百津町	84	1,476.8	100.0	26	457.1	31.0	3	52.7	3.6	-	-	0.0	-	-	0.0	3	52.7	3.6	16	281.3	19.0	11	193.4	13.1	-	-	-
白川町	81	1,844.7	100.0	20	455.5	24.7	12	273.3	14.8	2	45.5	2.5	2	45.5	2.5	8	182.2	9.9	9	205.0	11.1	2	45.5	2.5	-	-	-
東白川村	25	2,157.0	100.0	10	862.8	40.0	-	-	-	-	-	0.0	-	-	0.0	-	-	0.0	2	172.6	8.0	2	172.6	8.0	-	-	-
御嵩町	102	1,105.2	100.0	31	335.9	30.4	11	119.2	10.8	0	-	0.0	4	43.3	3.9	7	75.8	6.9	19	205.9	18.6	6	65.0	5.9	-	-	-

	肺炎			不慮の事故			老衰			自殺			肝疾患			腎不全			糖尿病			結核		
	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2
全国	66,601	108.4	10.1	32,483	52.9	4.9	12,525	20.4	1.9	19,904	32.4	3.0	10,644	17.3	1.6	11,587	18.9	1.8	7,738	12.6	1.2	1,349	2.2	0.2
岐阜県	1,088	110.1	9.9	478	48.4	4.3	311	31.5	2.9	327	33.1	3.0	134	13.6	1.2	198	20.0	1.8	104	10.5	0.9	17	1.7	0.2
管内総数	127	115.7	11.4	52	47.4	4.7	31	28.3	2.8	44	40.1	4.0	10	9.1	0.9	25	22.8	2.2	12	10.9	1.1	2	1.8	0.2
美濃加茂市	28	103.1	11.5	10	36.8	4.1	8	29.5	3.3	12	44.2	4.9	1	3.7	0.4	6	22.1	2.5	1	3.7	0.4	1	3.7	0.4
可児市	40	83.6	9.5	14	29.3	3.3	12	25.1	2.8	15	31.3	3.6	4	8.4	0.9	6	12.5	1.4	6	12.5	1.4	-	-	-
坂祝町	4	89.9	11.4	3	67.5	8.6	1	22.5	2.9	3	67.5	8.6	-	-	-	4	89.9	11.4	1	22.5	2.9	-	-	-
富加町	6	227.6	24.0	2	75.9	8.0	1	37.9	4.0	2	75.9	8.0	-	-	-	-	-	-	-	-	-	-	-	-
川辺町	14	273.8	25.5	6	117.3	10.9	-	-	-	-	-	-	1	19.6	1.8	2	39.1	3.6	-	-	-	-	-	-
七宗町	6	291.3	14.6	2	97.1	4.9	-	-	-	-	-	-	-	-	-	2	97.1	4.9	1	48.5	2.4	-	-	-
八百津町	4	70.3	4.8	4	70.3	4.8	4	70.3	4.8	5	87.9	6.0	1	17.6	1.2	3	52.7	3.6	1	17.6	1.2	-	-	-
白川町	10	227.7	12.3	3	68.3	3.7	3	68.3	3.7	3	68.3	3.7	-	-	-	1	22.8	1.2	2	45.5	2.5	1	22.8	1.2
東白川村	5	431.4	20.0	2	172.6	8.0	-	-	-	1	86.3	4.0	1	86.3	4.0	-	-	-	-	-	-	-	-	-
御嵩町	10	108.4	9.8	6	65.0	5.9	2	21.7	2.0	3	32.5	2.9	2	21.7	2.0	1	10.8	1.0	-	-	-	-	-	-

*1 率は人口10万対(全国及び県の率は厚生労働省公表値)

*2 死因割合:総数に対する死因別の割合(単位:%)

<女> (平成23年)

	総数			悪性新生物			脳血管疾患									心疾患(高血圧症を除く)											
	実数	率*1	死因割合*2	実数	率*1	死因割合*2	<も膜下出血(再掲)>			脳内出血(再掲)			脳梗塞(再掲)			急性心筋梗塞(再掲)			その他の虚血性心疾患(再掲)								
							実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2			
全国	596,526	921.6	100.0	144,115	222.7	24.2	64,251	99.3	10.8	8,480	13.1	1.4	15,406	23.8	2.6	38,752	59.9	6.5	103,628	160.1	17.4	19,299	29.8	3.2	14,930	23.1	2.5
岐阜県	10,054	957.5	100.0	2,332	222.1	23.2	1,070	101.9	10.6	143	13.6	1.4	293	27.9	2.9	616	58.7	6.1	1,956	186.3	19.5	380	36.2	3.8	175	16.7	1.7
管内総数	969	851.6	100.0	241	211.8	24.9	98	86.1	10.1	13	11.4	1.3	22	19.3	2.3	63	55.4	6.5	177	155.6	18.3	45	39.5	4.6	12	10.5	1.2
美濃加茂市	216	777.0	100.0	56	201.4	25.9	21	75.5	9.7	1	3.6	0.5	4	14.4	1.9	16	57.6	7.4	33	118.7	15.3	7	25.2	3.2	1	3.6	0.5
可児市	334	673.6	100.0	82	165.4	24.6	29	58.5	8.7	4	8.1	1.2	8	16.1	2.4	17	34.3	5.1	53	106.9	15.9	13	26.2	3.9	5	10.1	1.5
坂祝町	32	804.4	100.0	11	276.5	34.4	2	50.3	6.3	1	25.1	3.1	-	-	-	1	25.1	3.1	5	125.7	15.6	1	25.1	3.1	-	-	-
富加町	23	804.8	100.0	9	314.9	39.1	3	105.0	13.0	-	-	-	1	35.0	4.3	2	70.0	8.7	1	35.0	4.3	1	35.0	4.3	-	-	-
川辺町	61	1,133.4	100.0	13	241.5	21.3	7	130.1	11.5	1	18.6	1.6	3	55.7	4.9	3	55.7	4.9	9	167.2	14.8	-	-	-	2	37.2	3.3
七宗町	37	1,615.7	100.0	6	262.0	16.2	3	131.0	8.1	-	-	-	-	-	-	3	131.0	8.1	13	567.7	35.1	2	87.3	5.4	1	43.7	2.7
八百津町	86	1,400.7	100.0	24	390.9	27.9	11	179.2	12.8	3	48.9	3.5	-	-	-	8	130.3	9.3	15	244.3	17.4	11	179.2	12.8	-	-	-
白川町	79	1,604.4	100.0	16	324.9	20.3	14	284.3	17.7	1	20.3	1.3	4	81.2	5.1	9	182.8	11.4	14	284.3	17.7	4	81.2	5.1	-	-	-
東白川村	13	991.6	100.0	5	381.4	38.5	2	152.6	15.4	1	76.3	7.7	-	-	-	1	76.3	7.7	1.0	76.3	7.7	-	-	-	1	76.3	7.7
御嵩町	88	925.1	100.0	19	199.7	21.6	6	63.1	6.8	1	10.5	1.1	2	21.0	2.3	3	31.5	3.4	33	346.9	37.5	6	63.1	6.8	2	21.0	2.3

	肺炎			不慮の事故			老衰			自殺			肝疾患			腎不全			糖尿病			結核			
	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	
全国	58,148	89.8	9.7	26,933	41.6	4.5	39,717	61.4	6.7	8,892	13.9	1.5	5,746	8.9	1.0	12,939	20.0	2.2	6,926	10.7	1.2	817	1.3	0.1	
岐阜県	926	88.2	9.2	346	33.0	3.4	876	83.4	8.7	133	12.7	1.3	95	9.0	0.9	217	20.7	2.2	97	9.2	1.0	12	1.1	0.1	
管内総数	96	84.4	9.9	28	24.6	2.9	91	80.0	9.4	10	8.8	1.0	7	6.2	0.7	22	19.3	2.3	12	10.5	1.2	2	1.8	0.2	
美濃加茂市	25	89.9	11.6	11	39.6	5.1	16	57.6	7.4	1	3.6	0.5	1	3.6	0.5	2	7.2	0.9	3	10.8	1.4	-	-	-	
可児市	37	74.6	11.1	5	10.1	1.5	37	74.6	11.1	6	12.1	1.8	2	4.0	0.6	8	16.1	2.4	5	10.1	1.5	2	4.0	0.6	
坂祝町	2	50.3	6.3	1	25.1	3.1	1	25.1	3.1	1	25.1	3.1	1	25.1	3.1	3	75.4	9.4	-	-	-	-	-	-	
富加町	1	35.0	4.3	2	70.0	8.7	1	35.0	4.3	-	-	-	-	-	-	1	35.0	4.3	-	-	-	-	-	-	
川辺町	8	148.6	13.1	-	-	-	8	148.6	13.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
七宗町	1	43.7	2.7	-	-	-	2	87.3	5.4	-	-	-	-	-	-	4	174.7	10.8	-	-	-	-	-	-	
八百津町	8	130.3	9.3	2	32.6	2.3	15	244.3	17.4	1	16.3	1.2	1	16.3	1.2	-	-	-	2	32.6	2.3	-	-	-	
白川町	9	182.8	11.4	4	81.2	5.1	8	162.5	10.1	-	-	-	1	20.3	1.3	1	20.3	1.3	-	-	-	-	-	-	
東白川村	-	-	-	-	-	-	1	76.3	7.7	1	76.3	7.7	-	-	-	-	-	-	1	76.3	7.7	-	-	-	
御嵩町	5	52.6	5.7	3	31.5	3.4	2	21.0	2.3	-	-	-	1	10.5	1.1	3	31.5	3.4	1	10.5	1.1	-	-	-	

*1 率は人口10万対(全国及び県の率は厚生労働省公表値)

*2 死因割合:総数に対する死因別の割合(単位:%)