

(2) 主要死因別死亡数・率(T2-8)

<総数> (平成26年)

	総数			悪性新生物			脳血管疾患									心疾患(高血圧症を除く)											
	実数	率*1	死因割合*2	実数	率*1	死因割合*2	<も膜下出血(再掲)>			脳内出血(再掲)			脳梗塞(再掲)			実数	率*1	死因割合*2	急性心筋梗塞(再掲)			その他の虚血性心疾患(再掲)					
							実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2				実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2
全国	1,273,004	1,014.9	100.0	368,103	293.5	28.9	114,207	91.1	9.0	12,662	10.1	1.0	32,550	26.0	2.6	66,058	52.7	5.2	196,926	157.0	15.5	38,991	31.1	3.1	34,894	27.8	2.7
岐阜県	21,658	1,078.6	100.0	6,017	299.7	27.8	1,936	96.5	8.9	249	12.4	1.1	552	27.5	2.5	1,110	55.3	5.1	3,513	175.0	16.2	815	40.6	3.8	351	17.5	1.6
管内総数	2,170	984.6	100.0	541	245.5	24.9	204	92.6	9.4	24	10.9	1.1	57	25.9	2.6	121	54.9	5.6	338	153.4	15.6	108	49.0	5.0	21	9.5	1.0
美濃加茂市	432	784.5	100.0	95	172.5	22.0	37	67.2	8.6	5	9.1	1.2	7	12.7	1.6	25	45.4	5.8	69	125.3	16.0	26	47.2	6.0	4	7.3	0.9
可児市	746	770.1	100.0	201	207.5	26.9	68	70.2	9.1	10	10.3	1.3	19	19.6	2.5	38	39.2	5.1	120	123.9	16.1	32	33.0	4.3	13	13.4	1.7
坂祝町	72	871.2	100.0	13	157.3	18.1	12	145.2	16.7	2	24.2	2.8	5	60.5	6.9	5	60.5	6.9	13	157.3	18.1	8	96.8	11.1	-	-	-
富加町	70	1,263.8	100.0	17	306.9	24.3	8	144.4	11.4	-	-	-	4	72.2	5.7	4	72.2	5.7	7	126.4	10.0	2	36.1	2.9	-	-	-
川辺町	139	1,361.8	100.0	41	401.7	29.5	8	78.4	5.8	1	9.8	0.7	3	29.4	2.2	4	39.2	2.9	19	186.1	13.7	7	68.6	5.0	4	39.2	2.9
七宗町	73	1,824.1	100.0	22	549.7	30.1	9	224.9	12.3	-	-	-	2	50.0	2.7	7	174.9	9.6	6	149.9	8.2	2	50.0	2.7	-	-	-
八百津町	200	1,769.0	100.0	47	415.7	23.5	18	159.2	9.0	1	8.8	0.5	5	44.2	2.5	11	97.3	5.5	27	238.8	13.5	14	123.8	7.0	-	-	-
白川町	177	2,046.0	100.0	32	369.9	18.1	11	127.2	6.2	2	23.1	1.1	4	46.2	2.3	5	57.8	2.8	37	427.7	20.9	9	104.0	5.1	-	-	-
東白川村	48	2,088.8	100.0	15	652.7	31.3	1	43.5	2.1	-	-	-	1	43.5	2.1	-	-	-	7	304.6	14.6	2	87.0	4.2	-	-	-
御嵩町	213	1,170.8	100.0	58	318.8	27.2	32	175.9	15.0	3	16.5	1.4	7	38.5	3.3	22	120.9	10.3	33	181.4	15.5	6	33.0	2.8	-	-	-

	肺炎			不慮の事故			老衰			自殺			肝疾患			腎不全			糖尿病			結核		
	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2
全国	119,650	95.4	9.4	39,029	31.1	3.1	75,389	60.1	5.9	24,417	19.5	1.9	15,692	12.5	1.2	24,776	19.8	1.9	13,669	10.9	1.1	2,100	1.7	0.2
岐阜県	1,899	94.6	8.8	778	38.7	3.6	1,524	75.9	7.0	408	20.3	1.9	215	10.7	1.0	443	22.1	2.0	208	10.4	1.0	32	1.6	0.1
管内総数	215	97.6	9.9	76	34.5	3.5	177	80.3	8.2	62	28.1	2.9	22	10.0	1.0	43	19.5	2.0	21	9.5	1.0	5	2.3	0.2
美濃加茂市	41	74.5	9.5	16	29.1	3.7	37	67.2	8.6	15	27.2	3.5	7	12.7	1.6	12	21.8	2.8	2	3.6	0.5	1	1.8	0.2
可児市	76	78.5	10.2	20	20.6	2.7	49	50.6	6.6	24	24.8	3.2	9	9.3	1.2	16	16.5	2.1	9	9.3	1.2	1	1.0	0.1
坂祝町	8	96.8	11.1	1	12.1	1.4	6	72.6	8.3	3	36.3	4.2	2	24.2	2.8	2	24.2	2.8	-	-	-	-	-	-
富加町	5	90.3	7.1	4	72.2	5.7	8	144.4	11.4	2	36.1	2.9	1	18.1	1.4	1	18.1	1.4	-	-	-	-	-	-
川辺町	16	156.8	11.5	8	78.4	5.8	8	78.4	5.8	2	19.6	1.4	-	-	-	4	39.2	2.9	2	19.6	1.4	-	-	-
七宗町	6	149.9	8.2	2	50.0	2.7	1	25.0	1.4	3	75.0	4.1	1	25.0	1.4	-	-	-	2	50.0	2.7	-	-	-
八百津町	24	212.3	12.0	8	70.8	4.0	32	283.0	16.0	4	35.4	2.0	1	8.8	0.5	4	35.4	2.0	-	-	-	2	17.7	1.0
白川町	22	254.3	12.4	5	57.8	2.8	20	231.2	11.3	3	34.7	1.7	-	-	-	1	11.6	0.6	3	34.7	1.7	1	11.6	0.6
東白川村	2	87.0	4.2	3	130.5	6.3	6	261.1	12.5	1	43.5	2.1	-	-	-	2	87.0	4.2	-	-	-	-	-	-
御嵩町	15	82.4	7.0	9	49.5	4.2	10	55.0	4.7	5	27.5	2.3	1	5.5	0.5	1	5.5	0.5	3	16.5	1.4	-	-	-

*1 率は人口10万対(全国及び県の率は厚生労働省公表値)
 岐阜県(男女別)は平成26年10月1日現在推計日本人口(総務省統計局)
 市町は平成26年10月1日現在推計総人口(岐阜県統計課)を用いて算出した値
 *2 死因割合:総数に対する死因別の割合(単位:%)

(平成26年)

	総数			悪性新生物			脳血管疾患									心疾患(高血圧症を除く)											
	実数	率*1	死因割合*2	実数	率*1	死因割合*2	くも膜下出血(再掲)			脳内出血(再掲)			脳梗塞(再掲)			急性心筋梗塞(再掲)			その他の虚血性心疾患(再掲)								
							実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2			
全国	660,335	1,081.8	100.0	218,397	357.8	33.1	54,995	90.1	8.3	4,713	7.7	0.7	17,831	29.2	2.7	31,093	50.9	4.7	92,278	151.2	14.0	21,801	35.7	3.3	20,119	33.0	3.0
岐阜県	11,256	1,156.8	100.0	3,535	363.3	31.4	878	90.2	7.8	85	8.7	0.8	271	27.9	2.4	512	52.6	4.5	1,665	171.1	14.8	458	47.1	4.1	201	20.7	1.8
管内総数	1,132	1,048.2	100.0	323	299.1	28.5	79	73.2	7.0	8	7.4	0.7	24	22.2	2.1	47	43.5	4.2	157	145.4	13.9	55	50.9	4.9	10	9.3	0.9
美濃加茂市	223	824.3	100.0	57	210.7	25.6	15	55.4	6.7	-	-	0.0	5	18.5	2.2	10	37.0	4.5	30	110.9	13.5	16	59.1	7.2	2	7.4	0.9
可児市	393	826.3	100.0	122	256.5	31.0	20	42.1	5.1	2	4.2	0.5	6	12.6	1.5	12	25.2	3.1	64	134.6	16.3	18	37.8	4.6	7	14.7	1.8
坂祝町	36	829.5	100.0	9	207.4	25.0	4	92.2	11.1	1	23.0	2.8	1	23.0	2.8	2	46.1	5.6	5	115.2	13.9	2	46.1	5.6	-	-	-
富加町	40	1,498.7	100.0	11	412.1	27.5	5	187.3	12.5	-	-	0.0	2	74.9	5.0	3	112.4	7.5	5	187.3	12.5	2	74.9	5.0	-	-	-
川辺町	68	1,370.4	100.0	22	443.4	32.4	4	80.6	5.9	1	20.2	1.5	1	20.2	1.5	2	40.3	2.9	6	120.9	8.8	3	60.5	4.4	1	20.2	1.5
七宗町	33	1,755.3	100.0	10	531.9	30.3	4	212.8	12.1	-	-	-	1	53.2	3.0	3	159.6	9.1	3	159.6	9.1	1	53.2	3.0	-	-	-
八百津町	109	2,014.0	100.0	29	535.8	26.6	7	129.3	6.4	1	18.5	0.9	2	37.0	1.8	4	73.9	3.7	11	203.3	10.1	6	110.9	5.5	-	-	-
白川町	98	2,413.2	100.0	20	492.5	20.4	7	172.4	7.1	1	24.6	1.0	3	73.9	3.1	3	73.9	3.1	20	492.5	20.4	4	98.5	4.1	-	-	-
東白川村	22	2,029.5	100.0	7	645.8	31.8	-	-	-	-	-	-	-	-	-	-	-	-	3	276.8	13.6	-	-	0.0	-	-	-
御嵩町	110	1,226.3	100.0	36	401.3	32.7	13	144.9	11.8	2	22.3	1.8	3	33.4	2.7	8	89.2	7.3	10	111.5	9.1	3	33.4	2.7	-	-	-

	肺炎			不慮の事故			老衰			自殺			肝疾患			腎不全			糖尿病			結核		
	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2
全国	64,780	106.1	9.8	22,562	37.0	3.4	18,316	30.0	2.8	16,875	27.6	2.6	10,031	16.4	1.5	11,935	19.6	1.8	7,265	11.9	1.1	1,251	2.0	0.2
岐阜県	1,073	110.3	9.5	447	45.9	4.0	413	42.4	3.7	270	27.7	2.4	139	14.3	1.2	220	22.6	2.0	104	10.7	0.9	21	2.2	0.2
管内総数	126	116.7	11.1	46	42.6	4.1	67	62.0	5.9	34	31.5	3.0	17	15.7	1.5	22	20.4	1.9	8	7.4	0.7	5	4.6	0.4
美濃加茂市	27	99.8	12.1	7	25.9	3.1	12	44.4	5.4	12	44.4	5.4	5	18.5	2.2	6	22.2	2.7	1	3.7	0.4	1	3.7	0.4
可児市	43	90.4	10.9	14	29.4	3.6	17	35.7	4.3	11	23.1	2.8	8	16.8	2.0	10	21.0	2.5	4	8.4	1.0	1	2.1	0.3
坂祝町	4	92.2	11.1	1	23.0	2.8	3	69.1	8.3	2	46.1	5.6	1	23.0	2.8	2	46.1	5.6	-	-	-	-	-	-
富加町	1	37.5	2.5	2	74.9	5.0	5	187.3	12.5	1	37.5	2.5	1	37.5	2.5	-	-	-	-	-	-	-	-	-
川辺町	8	161.2	11.8	2	40.3	2.9	4	80.6	5.9	-	-	-	-	-	-	1	20.2	1.5	-	-	-	-	-	-
七宗町	2	106.4	6.1	1	53.2	3.0	-	-	-	1	53.2	3.0	-	-	-	-	-	-	1	53.2	3.0	-	-	-
八百津町	17	314.1	15.6	6	110.9	5.5	14	258.7	12.8	1	18.5	0.9	1	18.5	0.9	1	18.5	0.9	-	-	-	2	37.0	1.8
白川町	14	344.7	14.3	4	98.5	4.1	7	172.4	7.1	3	73.9	3.1	-	-	-	1	24.6	1.0	1	24.6	1.0	1	24.6	1.0
東白川村	1	92.3	4.5	3	276.8	13.6	1	92.3	4.5	1	92.3	4.5	-	-	-	-	-	-	-	-	-	-	-	-
御嵩町	9	100.3	8.2	6	66.9	5.5	4	44.6	3.6	2	22.3	1.8	1	11.1	0.9	1	11.1	0.9	1	11.1	0.9	-	-	-

*1 率は人口10万対(全国及び県の率は厚生労働省公表値)
岐阜県(男女別)は平成26年10月1日現在推計日本人口(総務省統計局)
市町は平成26年10月1日現在推計総人口(岐阜県統計課)を用いて算出した値
*2 死因割合:総数に対する死因別の割合(単位:%)

<女> (平成26年)

	総数			悪性新生物			脳血管疾患									心疾患(高血圧症を除く)											
	実数	率*1	死因割合*2	実数	率*1	死因割合*2	<も膜下出血(再掲)>			脳内出血(再掲)			脳梗塞(再掲)			急性心筋梗塞(再掲)			その他の虚血性心疾患(再掲)								
							実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2			
全国	612,669	951.5	100.0	149,706	232.5	24.4	59,212	92.0	9.7	7,949	12.3	1.3	14,719	22.9	2.4	34,965	54.3	5.7	104,648	162.5	17.1	17,190	26.7	2.8	14,775	22.9	2.4
岐阜県	10,402	1,005.0	100.0	2,482	239.8	23.9	1,060	102.4	10.2	164	15.8	1.6	281	27.1	2.7	598	57.8	5.7	1,848	178.6	17.8	357	34.5	3.4	150	14.5	1.4
管内総数	1,038	923.4	100.0	218	193.9	21.0	125	111.2	12.0	16	14.2	1.5	33	29.4	3.2	74	65.8	7.1	181	161.0	17.4	53	47.2	5.1	12	10.7	1.2
美濃加茂市	209	746.1	100.0	38	135.6	18.2	22	78.5	10.5	5	17.8	2.4	2	7.1	1.0	15	53.5	7.2	39	139.2	18.7	10	35.7	4.8	2	7.1	1.0
可児市	353	715.9	100.0	79	160.2	22.4	48	97.3	13.6	8	16.2	2.3	13	26.4	3.7	26	52.7	7.4	56	113.6	15.9	14	28.4	4.0	6	12.2	1.7
坂祝町	36	917.4	100.0	4	101.9	11.1	8	203.9	22.2	1	25.5	2.8	4	101.9	11.1	3	76.5	8.3	8	203.9	22.2	6	152.9	16.7	-	-	-
富加町	30	1,045.3	100.0	6	209.1	20.0	3	104.5	10.0	-	-	-	2	69.7	6.7	1	34.8	3.3	2	69.7	6.7	-	-	-	1	34.8	3.3
川辺町	71	1,353.7	100.0	19	362.2	26.8	4	76.3	5.6	-	-	-	2	38.1	2.8	2	38.1	2.8	13	247.9	18.3	4	76.3	5.6	3	57.2	4.2
七宗町	40	1,885.0	100.0	12	565.5	30.0	5	235.6	12.5	-	-	-	1	47.1	2.5	4	188.5	10.0	3	141.4	7.5	1	47.1	2.5	-	-	-
八百津町	91	1,543.9	100.0	18	305.4	19.8	11	186.6	12.1	-	-	-	3	50.9	3.3	7	118.8	7.7	16	271.5	17.6	8	135.7	8.8	-	-	-
白川町	79	1,721.1	100.0	12	261.4	15.2	4	87.1	5.1	1	21.8	1.3	1	21.8	1.3	2	43.6	2.5	17	370.4	21.5	5	108.9	6.3	-	-	-
東白川村	26	2,141.7	100.0	8	659.0	30.8	1	82.4	3.8	-	-	-	1	82.4	3.8	-	-	-	4	329.5	15.4	2	164.7	7.7	-	-	-
御嵩町	103	1,116.8	100.0	22	238.5	21.4	19	206.0	18.4	1	10.8	1.0	4	43.4	3.9	14	151.8	13.6	23	249.4	22.3	3	32.5	2.9	-	-	-

	肺炎			不慮の事故			老衰			自殺			肝疾患			腎不全			糖尿病			結核		
	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2
全国	54,870	85.2	9.0	16,467	25.6	2.7	57,073	88.6	9.3	7,542	11.7	1.2	5,661	8.8	0.9	12,841	19.9	2.1	6,404	9.9	1.0	849	1.3	0.1
岐阜県	826	79.8	7.9	331	32.0	3.2	1,111	107.3	10.7	138	13.3	1.3	76	7.3	0.7	223	21.5	2.1	104	10.0	1.0	11	1.1	0.1
管内総数	89	79.2	8.6	30	26.7	2.9	110	97.9	10.6	28	24.9	2.7	5	4.4	0.5	21	18.7	2.0	13	11.6	1.3	-	-	-
美濃加茂市	14	50.0	6.7	9	32.1	4.3	25	89.2	12.0	3	10.7	1.4	2	7.1	1.0	6	21.4	2.9	1	3.6	0.5	-	-	-
可児市	33	66.9	9.3	6	12.2	1.7	32	64.9	9.1	13	26.4	3.7	1	2.0	0.3	6	12.2	1.7	5	10.1	1.4	-	-	-
坂祝町	4	101.9	11.1	-	-	-	3	76.5	8.3	1	25.5	2.8	1	25.5	2.8	-	-	-	-	-	-	-	-	-
富加町	4	139.4	13.3	2	69.7	6.7	3	104.5	10.0	1	34.8	3.3	-	-	-	1	34.8	3.3	-	-	-	-	-	-
川辺町	8	152.5	11.3	6	114.4	8.5	4	76.3	5.6	2	38.1	2.8	-	-	-	3	57.2	4.2	2	38.1	2.8	-	-	-
七宗町	4	188.5	10.0	1	47.1	2.5	1	47.1	2.5	2	94.3	5.0	1	47.1	2.5	-	-	-	1	47.1	2.5	-	-	-
八百津町	7	118.8	7.7	2	33.9	2.2	18	305.4	19.8	3	50.9	3.3	-	-	-	3	50.9	3.3	-	-	-	-	-	-
白川町	8	174.3	10.1	1	21.8	1.3	13	283.2	16.5	-	-	-	-	-	-	-	-	-	2	43.6	2.5	-	-	-
東白川村	1	82.4	3.8	-	-	-	5	411.9	19.2	-	-	-	-	-	-	2	164.7	7.7	-	-	-	-	-	-
御嵩町	6	65.1	5.8	3	32.5	2.9	6	65.1	5.8	3	32.5	2.9	-	-	-	-	-	-	2	21.7	1.9	-	-	-

*1 率は人口10万対(全国及び県の率は厚生労働省公表値)
 岐阜県(男女別)は平成26年10月1日現在推計日本人口(総務省統計局)
 市町は平成26年10月1日現在推計総人口(岐阜県統計課)を用いて算出した値
 *2 死因割合:総数に対する死因別の割合(単位:%)